

Internal Options:


- 411362-B21
CPU Dual AMD64
2nd Dual Core
2600MHz 2x1MB
- 408850-B21
1GB
- 408851-B21
2GB
- 408853-B21
4GB
- 408854-B21
8GB
DDR2-SDRAM
2x DIMMs each
- 399542-B21
G5 2nd power
- 431933-B21
36GB 15k SAS
- 431935-B21
72GB 15k SAS
- 431958-B21
146GB 10k SAS
- 331903-B21
DVD-ROM

- 367047-B21
NC320T 1000T
PCI-E Gigabit
- 414126-B21
NC510F One Port
PCI-E 10-Gigabit
- A8003A
FibChan PCI-E HBA
2ch 4Gb FC2242SR
- 405154-B21
PCI-E/PCI-X
Riser seat for
a PCI-X HBA
- 273915-B21
Smart Array PCI-X
6402/128 2-Ch
- 257894-006
Myrinet XP-Fibre
M3F-PCIXD-2


Example Configuration

AMD64 Opteron 2218

2600MHz 1P-D 411360-421 EU



External Two Channel SCSI



Parts list for the example DL365 system above

Part Number	Qty	Description
1	411360-421	1 DL365 1P DC 2218 2.6GH 1GB AMD64 SAS 1U
1.1	331903-B21	1 CD-RW/DVD-ROM Option kit, slimline
1.2	399542-B21	1 DL360 G5 second power supply
1.3	405154-B21	1 Riser cage 1xPCI-E/PCI-X DL360 G5
1.3.1	273915-B21	1 Smart Array 6402/128 Ultra320 2-chan
1.4	408850-B21	3 1GB PC2-5300 DDR2 kit 2x512MB DL385G2
1.5	411362-B21	1 Opteron DC 2218-2MB 2600MHz for DL365
1.6	414126-B21	1 HP NC510F PCI-E 10-Gigabit Server Adapte
1.7	431935-B21	6 HP 72GB SAS 15000r hot-plug disk 2.5"
2	302970-B21	1 MSA30 Dual Buss Ultra320 7+7 1"
2.1	347708-B21	12 146.8GB 15000r U320 disk 1"

Link to the most fresh version of this document:
<http://goldeneggs.spyderbyte.com/geggs/GEODL365x.pdf>


storage hardware graph acpi pci-x
 server visual no grid computing
 diagram photo amd64 ia32 x64 pdf
 amd64 linux visio processes
 opteron cluster license ia32
 g5x64 x64 pci-express 330ba
 x86-64 hypertransport dual quad
 goldeneggs redhat template core

For more detailed configuring, please consult the latest HP QuickSpecs.
 Detailed configurations are serviced also at: <http://www.VisioCafe.com>
 Painted with Golden Eggs Software: 21-Feb-2007
 All trademarks in this document are those of their owners.



2600MHz Dual Core

AMD64 Opteron 2218

2600MHz 1P-D 411360-421 EU



More DL365 systems are serviced on page 2.



- MS Windows Server 2003
- Novell NetWare
- LINUX: Red Hat, SuSE
- SCO UnixWare, OpenServer
- VMware Virtualization Software
- Solaris 10 32/64-bit


<http://www.LinuxHPC.org>
<http://www.WinHPC.org>

Golden Eggs home:
<http://goldeneggs.spyderbyte.com/>

Your comments are appreciated.
 Matti.Patari@Kolumbus.Fi Mr.GoldenEggs

©2006 Matti Patari, All rights reserved.

GOLDEN EGGS Visuals™ Helsinki	01-Mar-2007	GEODL365a
	Matti.Patari@Kolumbus.Fi	



DL365
AMD64

411362-B21

Cache
2x1MB



-iLO2 RJ-45 10/100


-2x RJ-45 10/100/1000

-ATI ES1000 32MB

-PCI-Express x8 Low-profile 1

-PCI-Express x8 Full-size 2

-PCI-X 133MHz



PCI-E/PCI-X Riser seat
to hook a PCI-X HBA

Gigabit E

Gigabit E


iLO2 Remote Manager

2600MHz Dual Core

AMD64 Opteron 2218

2600MHz 1P-D 411360-421 EU

Memory Max:
4x8GB=32GB



Rack
19" 1U

408850-B21



399542-B21


399542-B21
Second
Power supply

331903-B21




CD or RX

431958-B21



36-300GB






Golden Eggs home:

<http://goldeneggs.spyderbyte.com/>

Example Configuration

AMD64 Opteron 2218

2600MHz 1P-D 411360-421 EU




Link to the most fresh version of this document:
<http://goldeneggs.spyderbyte.com/geggs/GEODL365x.pdf>

HP ProLiant DL365 Base Systems, Dual Core Opteron

Base Systems, 1P

Entry Systems, 1P





Internal Options:

- CPU** 411362-B21
2nd Dual Core
2600MHz 2x1MB
- 1GB** 408850-B21
- 2GB** 408851-B21
- 4GB** 408853-B21
- 8GB** 408854-B21
- 399542-B21
G5 2nd power
- 431933-B21
36GB 15k SAS
- 431935-B21
72GB 15k SAS
- 431958-B21
146GB 10k SAS
- 331903-B21
DVD-ROM
- 367047-B21
NC320T 1000T
PCI-E Gigabit
- 414126-B21
NC510F One Port
PCI-E 10-Gigabit
- A8003A
FibChan PCI-E HBA
2ch 4Gb FC2242SR
- 405154-B21
PCI-E/PCI-X
Riser seat for
a PCI-X HBA
- 273915-B21
Smart Array PCI-X
6402/128 2-Ch
- 257894-006
Myrinet XP-Fibre
M3F-PCIXD-2



Gigabit E
Gigabit E
iLO2 Remote Manager




AMD64 Opteron 2218
2600MHz 1P-D 411360-421 EU



AMD64 Opteron 2214 HE
2200MHz 1P-D 411359-421 EU




AMD64 Opteron 2210
1800MHz 1P-D 411358-421 EU



High Performance Systems, 2P

AMD64 Opteron 2218
2600MHz 2P-D 411361-421 EU



Base systems on this page

Part Number	Qty	Description
411358-421	1	DL365 1P DC 2210 1.8GH 1GB AMD64 SAS 1U
411359-421	1	DL365 1P DC 2214 HE 2.2GH 1GB AMD64 SAS
411360-421	1	DL365 1P DC 2218 2.6GH 1GB AMD64 SAS 1U
411361-421	1	DL365 2P DC 2218 2.6GH 2GB AMD64 SAS 1U

<http://www.LinuxHPC.org>
<http://www.WinHPC.org>

Golden Eggs home:
<http://goldeneggs.spyderbyte.com/>

Your comments are appreciated.
Matti.Patari@Kolumbus.Fi Mr.GoldenEggs

© 2006 Matti Patari, All rights reserved.

GOLDEN EGGS Visuals™ Helsinki	01-Mar-2007	GEODL365a-2 Matti.Patari@Kolumbus.Fi
-------------------------------	-------------	---

Link to the most fresh version of this document:
<http://goldeneggs.spyderbyte.com/geggs/GEODL365x.pdf>

For more detailed configuring, please consult the latest HP QuickSpecs.
Detailed configurations are serviced also at: <http://www.VisioCafe.com>
Painted with Golden Eggs Software: 21-Feb-2007
All trademarks in this document are those of their owners.